

TRUSTED SINCE 1926

**BONIDE**®

# Bt

*Bacillus  
Thuringiensis*

Ready to Use

Controls worms & caterpillars on  
fruits, vegetables and ornamentals

**ACTIVE INGREDIENT:**

*Bacillus thuringiensis* subspecies *kurstaki* strain SA-12 solids,  
spores and Lepidopteran active toxins (At least 6 million viable  
spores per mg.)\*

OTHER INGREDIENTS: 9.83%

TOTAL 100.00%

\*The percent active ingredient does not indicate product  
performance and potency measurements are not  
federally standardized.

EPA Est. No. 4-NY-1 EPA Reg. No. 70051-113-4

Keep Out Of Reach Of Children

**CAUTION** (See back panel for additional  
Precautionary Statements and First Aid)



**FOR ORGANIC  
GARDENING**

# BT BACILLUS THURINGIENSIS READY TO USE

- ✓ Controls worms and caterpillars on Fruit, Vegetables, Ornamentals and Shade Trees in and around the home garden.
- ✓ For Organic Gardening

EPA Est. No. 4-NY-1 EPA Reg. No. 70051-113-4  
©Bonide Products, Inc. All Rights Reserved

Distributed by:  
Bonide Products, Inc.  
6301 Sutliff Road  
Oriskany, NY 13424

## DIRECTIONS FOR USE

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

**FOR USE:** Apply this product when worms or caterpillars are first noticed, then repeat at five (5) to seven (7) day intervals while they are active. Apply more frequently to control heavy infestations. Apply thoroughly to top and bottom of foliage. Reapply after heavy rains.

This product must be eaten by worms or caterpillars to be effective. After ingesting the insecticide, they immediately stop feeding though they may otherwise appear to be unaffected for several days. Best results are obtained by treatments when worms are small; they must be actively feeding on treated, exposed foliage. You may apply this product up to and on the day of harvest.

## HOW TO APPLY

Always **SHAKE** this product thoroughly before use.

Spray leaf surfaces thoroughly, top and bottom, for complete control. Shake regularly while spraying.

## FRUITS AND VEGETABLES

Spray all plant foliage. Apply at first sign of infestation and repeat at weekly intervals when needed to insects in the fruit and vegetable garden:

Cabbage Looper, Armyworms, Hornworms, and other Lepidopteran (moth) pests on broccoli, cauliflower, collards, kale, mustard greens, turnip greens, cabbage, celery, lettuce, pepper, eggplant, melons, and tomatoes.

## SHADE TREES & ORNAMENTALS IN AND AROUND THE HOME

Spray at first sign of infestation and repeat at weekly intervals when needed to maintain control. Apply to thoroughly cover all foliage surfaces of shade trees and ornamentals for control of the following leaf-feeding worms:

Bagworm

Fall Cankerworm

Tent Caterpillar

Fall Webworm

Spring Cankerworm

Gypsy Moth\*

Elm Spanworm

\*Apply when buds swell, but before leaves are fully open. If eggs hatch over a long period of time or reinfestation occurs, spray about 14 days after application.

### STORAGE AND DISPOSAL

**Pesticide Storage:** Store in a cool place. Activity may be impaired by storage at temperatures above 90°F.

**Pesticide Disposal and Container Handling:** *Nonrefillable container.* Do not reuse or refill this container.

**If empty:** Place in trash or offer for recycling, if available.

**If partly filled:** Call your local solid waste agency or 1-800-CLEANUP for disposal instructions. Never place unused product down any indoor or outdoor drain.

### FIRST AID

**If  
in eyes:**

- Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. Hot Line Number: 1-800-858-7378

## **PRECAUTIONARY STATEMENTS**

### **Hazards to Humans and Domestic Animals**

**CAUTION:** Causes moderate eye irritation. Avoid contact with eyes or clothing. Avoid breathing vapors or spray mist. Wash thoroughly with soap and water after handling.

## **ENVIRONMENTAL HAZARDS**

To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Rinsing application equipment over the treated area will help avoid run off to water bodies or drainage systems.

For information on pesticide products (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800- 858-7378.

NOTE: Seller warrants that this product complies with the specifications expressed in this label. To the extent consistent with applicable law, Seller makes no other warranties, and disclaims all other warranties, express or implied, including but not limited to warranties of merchantability and fitness for the intended purpose. To the extent consistent with applicable law, Seller's liability for default, breach or failure under this label shall be limited to the amount of the purchase price. To the extent consistent with applicable law, seller shall have no liability for consequential damages.